

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| S1    | 0    | ("(collapsednear2nodes)").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/23 11:19 |
| S2    | 1195 | (combining with nodes)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/23 11:19 |
| S3    | 67   | (combining with nodes) and<br>(matching with nodes)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/23 11:20 |
| S4    | 32   | (combining with nodes) and<br>(matching with nodes)                              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:24 |
| S5    | 6    | (collapsing with nodes) and<br>(matching with nodes)                             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:40 |
| S6    | 1    | (collapsing with nodes) and<br>(matching with nodes) and<br>(without with order) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:24 |
| S7    | 2    | (collapsing with nodes) and<br>(compare with nodes)                              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:41 |
| S8    | 0    | (collapsing with nodes)<br>same(compare with nodes)                              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:41 |
| S9    | 2    | (collapsed with nodes)<br>same(compare with nodes)                               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR               | OFF     | 2005/06/23 11:42 |


|     |     |  |  |    |     |                  |
|-----|-----|--|--|----|-----|------------------|
| S10 | 2   | (collapsed with nodes) same (match\$ with nodes) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 11:43 |
| S11 | 351 | (match\$ with nodes) same tree                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 11:43 |
| S12 | 100 | S11 and "707"/\$.ccls.                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:05 |
| S13 | 0   | "5781906".pn. and encode                         | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:05 |
| S14 | 0   | (collapsed with nodes) with encode\$             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S15 | 0   | (collapsed with nodes) same encode\$             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S16 | 0   | (collapsed with nodes) same encodes              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S17 | 0   | (collapsed with nodes) same encodings            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S18 | 0   | (collapsing with nodes) same encodings           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S19 | 0   | (collapsing with nodes) same encodes             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S20 | 0   | (combining with nodes) with encodes                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S21 | 0   | (combining with nodes) with encodings               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S22 | 0   | (combining with nodes) same encodings               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:06 |
| S23 | 0   | (combining with nodes) and (node\$1 with encodings) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:07 |
| S24 | 0   | (collapsed with nodes) and (node\$1 with encodings) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:07 |
| S25 | 2   | (collapsed with nodes) and encodings                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:13 |
| S26 | 114 | (encoded near2 nodes)                               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:13 |
| S27 | 1   | (encoded near2 nodes) and (combining near2 nodes)   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:13 |
| S28 | 4   | (encoded near2 nodes) and collapsing                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:14 |
| S29 | 2   | (encoded near2 nodes) and collapsed                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:15 |

|     |     |                                       |  |    |     |                  |
|-----|-----|---------------------------------------|--|----|-----|------------------|
| S30 | 7   | (encoded with nodes) and collapsed    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:35 |
| S31 | 2   | "6539369".pn                          | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:53 |
| S32 | 0   | (collaps\$ with (map\$3 near2 codes)) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:53 |
| S33 | 25  | (collapsing with (mapping))           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 12:55 |
| S34 | 1   | (collapsing same xml same (mapping))  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:06 |
| S35 | 1   | (collapsing same xml same map\$)      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:07 |
| S36 | 1   | (collapsed same xml same map\$)       | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:11 |
| S37 | 147 | (collapsed same mapping)              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:12 |
| S38 | 5   | (collapsed same mapping) same tree    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:15 |
| S39 | 34  | (collapsing same mapping) same tree   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 13:13 |

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| S40 | 6  | (collapsed same mapping) same node                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:26 |
| S41 | 0  | (recursoively same collapsing)                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 14:25 |
| S42 | 3  | (recursively same collapsing)                     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 14:25 |
| S43 | 21 | (recursively same collaps\$)                      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:49 |
| S44 | 5  | (recursively same encodes same node)              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:53 |
| S45 | 0  | (recursively same encode same node same collapse) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:53 |
| S46 | 0  | (recursive same encode same node same collapse)   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:53 |
| S47 | 0  | (encode same node same collapse)                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:53 |
| S48 | 0  | (encode same recursively same collapse)           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 15:53 |
| S49 | 1  | (collapsed same encodings)                        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:26 |

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| S50 | 9  | (collapsed same encodes)                      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:28 |
| S51 | 0  | (collaping same encodes)                      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:28 |
| S52 | 0  | (collaping same encoding)                     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:36 |
| S53 | 43 | (combination same (node with<br>identifiers)) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/23 16:37 |



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

collapsing nodes on tree and matching nodes

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web Results 1 - 10** of about **517** for **collapsing nodes on tree and matching nodes and encodings values** c

[Klein, Dan; Manning, Christopher D.: Parsing with Treebank ...](#)

For NOUNA- RIESHIGH, and NOUNARIESLOW, unary **nodes** were removed as well, ...

For LIST **encodings**, each local **tree** type was encoded in its own, ...

[dbpubs.stanford.edu/pub/pub/2001-38](#) - 35k - [Cached](#) - [Similar pages](#)

[Citations: A space-economical suffix \*\*tree\*\* construction algorithm ...](#)

... with associated **values**, for **matching** 8 bit strings; b) corresponding ...

We call explicit those suffix trie **nodes** that survive in the suffix **tree**, ...

[citeseer.ist.psu.edu/context/29152/0](#) - 60k - [Cached](#) - [Similar pages](#)

[\[PDF\] Adaptive Logic Networks for Machine- Printed Character Recognition](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Confidence **values**. were obtained by summing the. responses of all trees for a

... the output of the **tree**. Only. responsible **nodes** are targeted for ...

[www.novodynamics.com/trenkle/papers/sdr94.pdf](#) - [Similar pages](#)

[\[PDF\] Accelerating XPath Evaluation in Any RDBMS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A step's axis indicates which **tree nodes** are reachable from the context node,

... evaluation for all **matching nodes** I found on the diagonal. ...

[zmo.cwru.edu/433/grust.pdf](#) - [Similar pages](#)

## [VI4](#)

A block is a closure containing the temp **values** it references from its home context

... But before the parse **nodes** can emit temp vars, var usage has to be ...

[minnow.cc.gatech.edu/squeak/2119](#) - 28k - [Cached](#) - [Similar pages](#)

[\[PDF\] MaVerick](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

set of multi-valued **nodes** connected according to the topology of the network.

... The initial plan was to use a modified **tree-matching** algorithm for delay ...

[www-cad.eecs.berkeley.edu/~chinnery/ee219b/ee219bReport.pdf](#) - [Similar pages](#)

[\[PDF\] UNBOUNDED LENGTH CONTEXTS FOR PPM:](#)

File Format: PDF/Adobe Acrobat

Prediction by partial **matching**, or PPM, is a finite-context ... **collapsing**

non-branching sub-paths into single **nodes**, just like the standard PATRICIA ...

[doi.ieeecomputersociety.org/10.1109/DCC.1995.515495](#) - [Similar pages](#)

[oreilly.com -- Online Catalog: Learning XML](#)

stylesheet rules, **matching** multiple, 122 **tree** diagram, 30 **values**, calculating with

... XML file as input source **tree**, 204 **nodes**, selecting, 207-223 ...

[www.oreilly.com/catalog/learnxml/inx.html](#) - 118k - [Cached](#) - [Similar pages](#)

[Citations: Occam's razor in metacomputation: The notion of a ...](#)

... infinite **tree** produced by T into a finite graph, by **collapsing** equivalent **nodes**.

For deforestation, **nodes** 19 are considered equivalent if they are are ...

[citeseer.csail.mit.edu/context/83619/0](#) - 53k - [Cached](#) - [Similar pages](#)

[PDF 1 PPM: Prediction by partial match](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


Prediction by partial **matching**, or PPM, is a nite-context statistical modeling  
... of **collapsing** all such paths into single **nodes** is to make the number of ...

[www.cs.waikato.ac.nz/~ml/publications/1995/Cleary-Teahan-Witten-ppm.pdf](http://www.cs.waikato.ac.nz/~ml/publications/1995/Cleary-Teahan-Witten-ppm.pdf) - [Similar pages](#)

Google

Result Page:    1 2 3 4 5 6 7 8 9 10    [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

|          |                      |                                       |   |                                      |   |   |
|----------|----------------------|---------------------------------------|---|--------------------------------------|---|---|
| Google - | <input type="text"/> | <input type="button" value="Search"/> |  | <input type="button" value="Check"/> | <input type="button" value="Autolink"/> | <input type="button" value="AutoFill"/> |
|----------|----------------------|---------------------------------------|---|--------------------------------------|---|---|

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google